

Package ‘qcQpcr’

October 13, 2022

Type Package

Title Histone ChIP-Seq qPCR Analyzer

Version 1.5

Date 2018-02-02

Author Alireza Lorzadeh

Maintainer Alireza Lorzadeh <alorzadeh@bcgsc.ca>

Description Quality control of chromatin immunoprecipitation libraries (ChIP-seq) by quantitative polymerase chain reaction (qPCR). This function calculates Enrichment value with respect to reference for each histone modification (specific to 'Vii7' software <<http://www.thermofisher.com/ca/en/home/life-science/pcr/real-time-pcr/real-time-pcr-instruments/via-7-real-time-pcr-system/via-7-software.html>>). This function is applicable to full panel of histone modifications described by International Human Epigenomic Consortium (IHEC).

Imports ggplot2

License MIT + file LICENSE

Depends R (>= 2.10)

NeedsCompilation no

Repository CRAN

Date/Publication 2018-02-08 18:44:50 UTC

R topics documented:

qcQpcr-package	2
qcQpcr	3
SampleTest	4

Index	5
--------------	----------

qcQpcr-package

*Histone ChIP-Seq qPCR Analyzer Histone ChIP-Seq qPCR Analyzer***Description**

Quality control of chromatin immunoprecipitation libraries (ChIP-seq) by quantitative polymerase chain reaction (qPCR). This function calculates Enrichment value with respect to reference for each histone modification (specific to 'Vii7' software <<http://www.thermofisher.com/ca/en/home/life-science/pcr/real-time-pcr/real-time-pcr-instruments/viia-7-real-time-pcr-system/viia-7-software.html>>). This function is applicable to full panel of histone modifications described by International Human Epigenomic Consortium (IHEC). Quality control of chromatin immunoprecipitation libraries (ChIP-seq) by quantitative polymerase chain reaction (qPCR). This function calculates Enrichment value with respect to reference for each histone modification (specific to 'Vii7' software <<http://www.thermofisher.com/ca/en/home/life-science/pcr/real-time-pcr/real-time-pcr-instruments/viia-7-real-time-pcr-system/viia-7-software.html>>). This function is applicable to full panel of histone modifications described by International Human Epigenomic Consortium (IHEC).

Details

The DESCRIPTION file:

```
Package:      qcQpcr
Type:        Package
Title:       Histone ChIP-Seq qPCR Analyzer
Version:     1.5
Date:       2018-02-02
Author:      Alireza Lorzadeh
Maintainer:  Alireza Lorzadeh <alorzadeh@bcgsc.ca>
Description: Quality control of chromatin immunoprecipitation libraries (ChIP-seq) by quantitative polymerase chain
Imports:     ggplot2
License:     MIT + file LICENSE
Depends:    R (>= 2.10)
NeedsCompilation: no
Packaged:   2018-02-02 23:24:48 UTC; epigenomics_lab_01
```

Index of help topics:

```
SampleTest      qPCR ChIP-seq Results
qcQpcr          Histone ChIP-Seq qPCR Analyzer
qcQpcr-package  Histone ChIP-Seq qPCR Analyzer Histone ChIP-Seq
                qPCR Analyzer
```

```
qcQpcr(xx,'Title for you graph')
```

Author(s)

Alireza Lorzadeh

Examples

```
library(ggplot2)
data(SampleTest)
qcQpcr(SampleTest, 'Title for your graph')
```

qcQpcr

Histone ChIP-Seq qPCR Analyzer

Description

Quality control of chromatin immunoprecipitation libraries (ChIP-seq) by quantitative polymerase chain reaction (qPCR). This function calculates Enrichment value with respect to reference for each histone modification (specific to 'Vii7' software <<http://www.thermofisher.com/ca/en/home/life-science/pcr/real-time-pcr/real-time-pcr-instruments/viia-7-real-time-pcr-system/viia-7-software.html>>). This function is applicable to full panel of histone modifications described by International Human Epigenomic Consortium (IHEC).

Usage

```
qcQpcr(xx, Name)
```

Arguments

xx	'Your Data Set'
Name	'.... Title for you graph, (ie: Projects name and date)'

Author(s)

Alireza Lorzadeh

Examples

```
library(ggplot2)
data(SampleTest)
qcQpcr(SampleTest, 'Title for your graph')
```

SampleTest

qPCR ChIP-seq Results

Description

A dataset containing the the CT values of ChIPseq libraries.

Usage

SampleTest

Format

A data frame with 82 rows and 11 variables

Source

Hirst Lab, UBC Vancouver, Canada

Index

* **datasets**

SampleTest, [4](#)

* **qpcr**

qcQpcr, [3](#)

qcQpcr-package, [2](#)

qcQpcr, [3](#)

qcQpcr-package, [2](#)

SampleTest, [4](#)